EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	245353	(MARK near3 BECKMANN) (MI CHAEL near3 ECKERT) (MARTIN near3 HANS) SI EMENS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:20
L2	79	(message same (log \$1file logfile logged logging) same (block\$5 reject\$5 denied deny \$5)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:22
L3	4	1 and 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:22
L4	248	gateway near8 filter\$6 near8 message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:23
L5	10	4 same ((different other second\$5) near5 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:24
L6	2	"09361678"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:25
L7	1	4 and 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:25
L8	1	(US-7158986-\$).did.	USPAT	OR	OFF	2010/04/16 13:26

L9	0	8 and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:26
L10	160055	"455"/ .clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:27
L11	155395	"370"/ .clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:27
L12	90	4 and (10 11)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:27
L13	2729	(message same (log \$1file logfile logged logging) same (block\$5 reject\$5 denied deny \$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:28
L14	4	4 and 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:28
L15	1	"10918852"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:30
L16	1	PCT/GB03/00709	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:30

L17	135	ian near3 wood	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:32
L18	1	(GB-2378357-\$).did.	EPO	OR	OFF	2010/04/16 13:32
L19	0	18 and (gateway near8 filter\$6 near8 message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:33
L20	0	18 and 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/16 13:33
L21	0	18 and gateway	EPO	OR	OFF	2010/04/16 13:33
S1	1	"10589906"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 11:25
S2	2	US-20050086519-\$. DID. OR WO-03067907- \$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 11:43
S8	3432	(message same traffic). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 12:26
S10	1111	(message same traffic same first).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 12:26
S11	42	(message same traffic same first same block \$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 12:27

S12	552	(message same traffic same first same network).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 12:27
S13	1835	(MARK near3 BECKMANN) (MICHAEL near3 ECKERT) (MARTIN near3 HANS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 12:28
S14	2	S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 12:28
S15	12	S12 and siemens	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 12:30
S16	2539	(network near3 unit) and (communication near3 unit) and (message same traffic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:33
S17	7	S13 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:33
S18	73	(network near3 unit) same (communication near3 unit) same (message same traffic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:34
S19	1	S18 AND (FILTER\$4 SAME BLOCK\$4 SAME (LOG\$5 SAV\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:43

S20	5	S16 AND (FILTER\$4 SAME BLOCK\$4 SAME (LOGG5 SAV\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:44
S21	72	(FIRST SAME SECOND SAME NETWORK SAME FILTER\$4 SAME BLOCK \$4 SAME (LOGG5 SAV \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:45
S22	0	(FIRST SAME SECOND SAME NETWORK SAME FORWARD SAME MESSAGE SAME FILTER \$4 SAME BLOCK\$4 SAME (LOGG5 SAV\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:50
S23	2	(FIRST SAME SECOND SAME FORWARD SAME MESSAGE SAME FILTER \$4 SAME BLOCK\$4 SAME (LOGG5 SAV\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:51
S24	145	(FILTER\$4 SAME MESSAGE SAME BLOCK \$4 SAME (LOGG5 SAV \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:52
S25	139629	"370"/.QLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:52
S26	146965	"455"/. CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:52
S27	27	S24 AND (S25 S26)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:52

S28	119	(FILTER\$4 SAME	US-PGPUB;	OR	ON	2009/05/12
		MESSAGE SAME BLOCK \$4 SAME (LOGG\$5))	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			12:53
S29	10	S28 AND (S25 S26)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:53
S30	1489	CONTROL\$4 WITH EVALUAT\$4 WITH MESSAGE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:56
S31	1	S28 AND S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:56
S32	0	S28 SAME EVALUAT\$4 WITH MESSAGE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:56
S33	7	(FILTER\$4 SAME MESSAGE SAME BLOCK \$4 SAME (LOGG\$5) SAME (LOG NEAR3 FILE))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:57
S34	701	455/417.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:08
S35	26	S34 and logging	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:08

S36	4356	(record\$4 logg\$4) with (destination with address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	···ON	2009/05/12 13:09
S37	159	S36 same filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:09
S38	85	S37 and (S25 S26)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:09
S39	1	S37 and (visit\$4 near3 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:10
S40	1422	(recording logg\$4) with (destination with address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:11
S41	29	S40 same filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:11
S42	3	(recording logg\$4) with (destination with address) with criter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:13
S43	227	(recording logg\$4) with (destination with address) with user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:14

S44	0	(recording logg\$4) with (destination with address) with user with evaluat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:14
S45	5	(recording logg\$4) with (destination with address) with evaluat \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:14
S46	3390	455/414.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:16
S47	1196	S46 and block\$4 and forward\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:16
S48	283	S46 and block\$4 and forward\$4 and filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:17
S49	22	S46 and (block\$4 same forward\$4 same filter\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:17
S50	0	S46 and (block\$4 same forward\$4 same filter\$4 same logging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:17
S51	38	S46 and (logging with message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:20

S52	2	S46 and (logging with message with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:21
S53	112	S46 and (block\$4 same forward\$4 same message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	MON	2009/05/12 13:23
S54	65	S46 and ((block\$4 with message) same (forward\$4 with message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:23
S55	7	S54 and (session near5 protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:24
S56	2	S54 and (SIP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:24
S57	28	S46 and ((block\$4 near3 message) same (forward\$4 near3 message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:26
S58	17	(logged logging) with message with logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:30
S59	0	S53 and logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:31

S60	111	logfile and (forward\$4	US-PGPUB;	OR	ON	2009/05/12
300		same message)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	-On	OIN	13:32
S61	16	(user with logfile) and (forward\$4 same message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:32
S62	1	compar\$4 with database with logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:36
S63	2	compar\$4 with database same logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:36
S64	3	compar\$4 same database same logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:36
S65	7	compar\$4 same address same logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:37
S66	4	messag\$4 with filter\$4 with (logfile log\$1file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:39
S67	1031	(messag\$4 with filter \$4) and (SIP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:40

S68	9	(messag\$4 with filter \$4) and (SIP) and logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:40
S69	18	(messag\$4 with filter \$4) and (SIP) and (logging with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:41
S70	0	(messag\$4 with filter \$4) and (SIP) and ((fraud\$7 illegal) with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:42
S71	125	(messag\$4 with filter \$4) and (SIP) and ((fraud\$7 illegal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:42
S72	0	(messag\$4 with filter \$4) and (SIP) and ((fraud\$7 illegal) same (logg\$4 sav\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:42
S73	13	((logg\$4 sav\$4) with messag\$4 with filter\$4) and (SIP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:43
S74	9	((logg\$4) with messag \$4 with filter\$4) and (SIP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:44
S75	189	((logg\$4) with messag \$4 with filter\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:44

S76	52	S75 and (forward\$4 with message) and ((block\$4 drop\$4) with message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:45
S77	1479	455/410.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:50
S78	0	S77 and logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:51
S79	60	S77 and (forward\$4 with message) and ((block\$4 drop\$4) with message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:51
S80	31	S79 and filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:51
S81	4	S80 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:51
S82	21	S79 and filter\$4 and (saving recording logging logged saved recorded)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:54
S83	14	US-5377354-\$.DID. OR US-5884033-\$.DID. OR US-6026296-\$.DID. OR US-4554261-\$.DID. OR US-20020199095-\$. DID. OR US- 20040199592-\$.DID. OR US-20040203589-\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 13:55

S84	467	logging with number with access\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:09
S85	6842	message with (rout\$4 forward\$4) with block \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	MON	2009/05/12 15:09
S86	12	\$84 and \$85	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:09
S87	178	destination with address with (saving logging recording) with access\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:11
S88	19	\$85 and \$87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:11
S89	29676	"15" and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:12
S90	0	S88 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:12
S91	4	S87 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:12

S92	14	US-5377354-\$.DID. OR US-5884033-\$.DID. OR US-6026296-\$.DID. OR US-4554261-\$.DID. OR US-20020199095-\$. DID. OR US- 20040199592-\$.DID. OR US-20040203589-\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 15:22
S93	0	S92 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:22
S94	2906	sip and (ip near3 multimedia)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 16:49
S95	43	user with identit\$4 with compar\$4 with filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 16:49
S96	0	S94 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 16:50
S97	7796	ims and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:13
S98	177	S97 and S85	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:13
S99	0	S98 and S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:14

S100	0	S98 and (address with (saving logging recording) with access \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:14
S101	8	S98 and (address with (saving logging recording))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:14
S102	13	S98 and (access with (saving logging recording))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:15
S103	8	S102 not S101	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:15
S104	18	S88 and ((identity profile) with (subscriber user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:16
S105	3	"20030109271"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:51
S106	0	S104 and (forward\$4 with logging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:51
S107	8	\$86 and (forward\$4 with logging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:59

S108	0	S105 and (forward\$4 with logging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:59
S109	0	S105 and (encrypt\$4 with message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:59
S110	0	S105 and (encrypt\$4 with key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:59
S111	1	S105 and (encrypt\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:59
S112	0	S105 and (key with pair)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:00
S113	0	S105 and (key with protect\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:00
S114	1	S105 and (key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:00
S115	1	S105 and (password encrypt\$4) same (data message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:05

S116	110	S97 and (message with forward\$4 with block \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:08
S117	60	S116 and ((identity profile) with (subscriber user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:08
S118	65	S94 and (message with forward\$4 with block \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:09
S119	41	S118 and ((identity profile) with (subscriber user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:09
S120	8	US-20030014764-\$. DID. OR US- 20030206530-\$.DID. OR US-6901049-\$.DID. OR US-6771672-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 19:09
S121	508	text\$5 same forward\$5 same (block\$5 delet\$5 remov\$5) same log\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 12:12
S122	154569	"455"/.clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 12:13
S123	42	S121 and S122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 12:13

S124	3440	455/466.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 12:16
S125	60	S124 and (forward\$5 same (block\$5 delet\$5 remov\$5) same log\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 12:16
S126	1984	455/412.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 12:17
S127	27	S126 and (forward\$5 same (block\$5 delet\$5 remov\$5) same log\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 12:17
S128	15	S126 and (forward\$5 same (block\$5 delet\$5 remov\$5) same filter \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 12:19
S129	4	S126 and ((forward\$5 same (block\$5 delet\$5 remov\$5) same log\$5) same3 filter\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 12:28
S130	111	S122 and ((forward\$5 same (block\$5 delet\$5 remov\$5) same log\$5) same3 filter\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 12:28
S131	4	US-6101393-\$.DID. OR US-4551466-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 12:34

S132	25	- 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 12:35
S133	15	US-20010016915-\$. DID. OR US-20050015451-\$.DID. OR US-20050144451-\$. DID. OR US-20040145773-\$.DID. OR US-20050044412-\$. DID. OR US-20050044412-\$. DID. OR US-20050081059-\$.DID. OR US-7131201-\$.DID. OR US-20040193922-\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 12:36
S134	28	("5577102" "5652572" "5678179" "5794142" "5806000" "5878347" "5930239" "6026296").PN. OR ("6101393").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/07 12:37
S135	1	"10589906"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 13:01
S136	1	S135	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/07 13:01
S137	1	S136 and (set near5 useful near5 information)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/07 13:01
S138	0	S136 and (application near5 unit)	USPAT	OR	OFF	2009/12/07 13:45
S139	0	S136 and (user near5 identity)	USPAT	OR	OFF	2009/12/07 13:46
S140	0	S136 and (identity)	USPAT	OR	OFF	2009/12/07 13:46

S141	1	S136 and (user near3 identity)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/07 13:47
S142	1	(US-20040203589-\$). did.	US-PGPUB	OR	OFF	2009/12/07 13:56
S143	0	S142 and database	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/07 13:56
S144	0	S142 and database	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/07 13:56
S145	2	(US-20020199095-\$ or US-20040203589-\$). did.	US-PGPUB	OR	OFF	2009/12/07 15:12
S146	1	S145 and (ip sip)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 15:13
S147	11695	((security access) near5 level) same log \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 16:27
S148	956	S147 same messag\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 16:28
S149	154673	"455"/.clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 16:28
S150	61	S148 and S149	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 16:28
S151	1594	((security access) near5 level) same (logged logging logfile log\$1file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 16:29

S152	41	S149 and S151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 16:29
S153	9950	((security access) near5 level) same (messag\$5 sms email)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 16:30
S154	906	S149 and S153	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 16:30
S155	257	S153 same (logged logging logfile log \$1file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 16:31
S156	256	S155 and (filter\$5 block \$5 process\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 16:31
S157	107	S155 same (filter\$5 block\$5 process\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 16:31
S158	15	((security access restrict \$5) near5 level) same (logged logging) same ((message email sms) with (block\$5 reject \$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 16:35

4/16/2010 1:35:16 PM

C:\ Documents and Settings\ mmapa\ My Documents\ EAST\ Workspaces\ 10589906 METHOD FOR THE CONTROL AND EVALUATION OF A MESSAGE TRAFFIC OF A COMMUNICATION UNIT BY MEANS OF A FIRST NETWORK UNIT WITHIN A MOBILE.wsp